Index

Special Characters

. - period 7-8, 7-18
← (backspace key) 2-34
+ (plus sign)
  in automatic response file 11-23
  in response to linker prompt 11-23
* - asterisk 2-41
* - EDLIN prompt 2-41, 7-5, 7-10
* - global filename character 6-14
* character, using 2-18
- (DEBUG prompt) 12-15
/P parameter 6-84
/S option 6-101
/V parameter 6-102
/W parameter 6-84
/1 parameter 6-94, 6-101, 6-92
% (percent sign) 6-34
? - global filename character 6-14
? character 2-18, 6-14
- pound sign 7-7
@ character 2-48
@ symbol (linker) 11-23
= equal sign 6-8

A

A> prompt 6-17
abort program 8-6
abort read/write operation 8-6
about diskettes 1-7
absolute disk read D-9
absolute disk write D-10
absolute sector 12-63
absolute segment address
  how to determine 11-28
absolute track/sector, calculate C-8
AC flag set condition 12-50
access, random B-5
accessing a file 9-9
adding hexadecimal values 12-34
address - DEBUG parameter 12-7
address terminate interrupt D-2
address, disk transfer 12-5
AH register D-16
allocating disk space B-5
allocation table information D-26
allocation, diskette C-1

analyze
diskettes 6-101
the directory 6-54
the File Allocation Table 6-54
Append Lines Command 7-12, 7-46
applications, random/sequential 9-6
architecture, 8088 B-1
ASCII characters 6-107, 12-22
ASCII codes, extended 6-107, D-17
ASCII representation 12-22
ASCII values 12-12
Assemble Command 12-16
ASSIGN (Drive) Command 6-21, 6-148
asterisk
EDLIN prompt 2-41, 7-5, 7-10
global filename character 6-14
Asynchronous Communications Adapter 6-116, 6-120, 6-121
attribute byte C-4, E-14
attribute field 14-6
attribute, file C-4
AUTOEXEC file B-4
AUTOEXEC.BAT file 6-31, 6-82
automatic program execution 1-16
automatic response file linker 11-23
AUX: - reserved device name 6-13
Auxiliary Asynchronous Communications Adapter D-18
auxiliary carry flag 12-50
auxiliary input D-18
auxiliary output D-18
available functions, DOS B-5
AX register 12-5, D-10, D-16

B

backslash (\) 2-33, 2-43
backing up a diskette 3-10
backing up DOS 1-6
backing-up one file 3-18
backspace key (←) 2-34
BACKUP (Fixed Disk) Command 6-24
BACKUP command 6-24, 6-148
backup diskette 6-93
backup file, edit 7-6
backup more than one file 3-29
BAK filename extension 7-6, 7-21, 7-34
BASIC Program Editor 2-55
BAT filename extension 6-28
Batch Commands 6-28
batch file 6-28, 6-47, 6-49, 6-139, 6-152
.BAT 6-28
change 6-49
enter 6-142
batch file processor B-4
batch processing 6-28
BIOS D-9
BIOS interface module B-1
BIOS Parameter Block 14-16
block devices 14-4
block number, current E-11
block read, random D-29
block write, random D-29
size D-27

blocking/deblocking,
data B-1
boot record program B-1,
B-2
boundary, paragraph 11-6
boundary, 16-byte 12-22
boundary, 8-byte 12-22
BP register 12-5, D-6
BPB, what is 14-16
brackets, square 6-8
BREAK (Control Break)
Command 6-50, 6-147
Break key 2-45
breakpoint 12-30
buffer, input 2-55
buffer, what is a 9-5
buffered standard
input D-19
BUFFERS command 9-4
built-in functions B-1
BX register 12-5, 12-39,
D-7
byte – DEBUG
parameter 12-8
byte contents
display 12-25
fill 12-29
replace 12-25
bytes, about 1-11

C

calculate absolute
cluster C-9
calls, function D-13
carry flag 12-50
chaining file sectors B-5
change a filename 3-37
change console,
CTTY 10-10
change date 6-81
change diskettes 6-49
change filenames 6-135
change time 6-142
changing active
partition 4-19
changing the current
directory 5-12
character devices 14-4
CHDIR (Change Directory)
Command 6-53, 6-153
check for control
break 6-51
check keyboard
status D-19
checksum
methodology B-3
CHKDSK (Check Disk)
Command 6-55, 6-153
CL register D-16
class 11-7
clear condition 12-50
close file D-20
close D-20
CLS (Clear Screen)
Command 6-42, 6-59,
6-153
cluster number,
relative C-6
cluster, calculate C-9
cluster, locate next C-8,
C-9
cluster, starting C-6
clusters B-6, C-2
directory C-3
codes, error D-5
codes, 8088
instruction 12-32
colon 6-8
Color/Graphics Monitor
Adapter 6-107, 6-109,
L-14
COM filename
extension 6-7, B-3
.COM B-3
.EXE B-4
COM programs E-5
comma 6-8

command line
linker 11-20
command parameters
DEBUG 12-7
DOS 6-9
EDLIN 7-7
command processor B-3
command processor,
resident portion of B-3
command prompt,
DEBUG 12-14
command prompts,
linker 11-8
COMMAND.COM 6-101,
12-4, B-3, C-5, E-3
commands
DEBUG 12-15
DOS 6-17
EDLIN 7-9
commands for
directories 5-11
commands, end 6-19
commands, enhanced A-9
commands, new A-5
commands, summary of
DEBUG 12-67
DOS 6-152, 10-27
EDLIN 7-46
Communications
Adapter 6-115
Communications Adapter,
Auxiliary
Asynchronous D-18
COMP (Compare Files)
Command 6-60, 6-153
Compare Command 12-21
comparing 6-91
comparing files 6-60,
6-91, 6-153
comparing memory 12-21
compilers, using fixed
disk I-1
computer, size of your 9-7
COM1: - reserved device
name 6-13
CON: - reserved name for
console/keyboard 6-13
concatenation 6-66
console I/O, direct D-19
console/keyboard 6-13
console/keyboard
routines B-3
control blocks E-1
control keys 2-49, 6-19,
7-10, 12-15
control screen cursor 13-3
copying your DOS
diskettes 1-6
copy a file to another
diskette 3-22
copy a file to same
diskette 3-20
copy and combine
files 6-75
COPY command 6-29,
6-66, 6-93, 6-97, 6-154
Copy Lines
Command 7-13, 7-46
copy more than one
file 3-29
copy with different
filename 6-72
copy with same
filename 6-70
copying diskettes 6-95
copying files 6-66
correcting input lines 2-55
create DOS partition 4-15
create file D-21
creating a .BAT file 6-29
creating a batch file 6-33
creating a device
driver 14-8
creating a new file 7-21
creating a
sub-directory 5-11
critical error handler B-3
critical error handler
vector D-4
critical error handling B-3

CS register 12-5, 12-30, 12-32, 12-37, 12-58, 12-63, D-2, D-5, E-3, E-6
Ctrl key 2-49
Ctrl-Break 11-9
CTRL-BREAK exit address B-3, D-3
CTRL-BREAK handler B-3
Ctrl-Break keys 2-45, 2-50, 6-19, 6-29, 6-49, 7-10, 7-18, 7-23, 12-14
Ctrl-Enter keys 2-50
Ctrl-Num Lock keys 2-47, 2-51, 6-19, 7-10, 12-15
Ctrl-PrtSc keys 2-48,
Ctrl-Z character 6-76
CTTY (Change Console) Command 10-10
CTTY command 10-10, 10-28
current block number E-11
current directory, changing or displaying 5-12
current directory, what is 5-6
current disk D-26
current relative record number E-12
cursor control 13-3
CX register 12-5, 12-6, 12-39, D-7
CY flag set condition 12-50

D

d:
  default 6-9
  parameter 6-9
data blocking/ deblocking B-1
DATE Command 6-81, 6-154
  change 6-81
  enter 6-81
date file created or updated E-12
deblocking/blocking, data B-1
DEBUG commands
  Assemble 12-16
  Compare 12-21
  Dump 12-22
  Enter 12-25
  Fill 12-29
  Go 12-30
  Hexarithmetic 12-34
  Input 12-35
  Load 12-36
  Move 12-40
  Name 12-42
  Output 12-44
  Quit 12-45
  Register 12-46
  Search 12-53
  Trace 12-55
  Unassemble 12-57
  Write 12-62
DEBUG program
  command parameters 12-7
  commands 12-14
  common information 12-14
  ending 12-45
  how to start 12-4
  prompt 12-15
  summary of commands 12-67
  what it does 12-3
default disk transfer address 12-5
default drive
  linker 11-9
  parameter 6-9

default drive, specifying the 2-32
default segment 12-7
defective tracks 6-101
DEL Command 6-83
Del key 2-56
delete DOS partition 4-12
delete file D-22
Delete Lines Command 7-14
deleting a directory 5-12
deleting DOS partition 4-20
deleting files 6-99
delimiters 6-18, 7-9, 12-14
destination area 12-40
device driver, creating 14-8
device drivers 14-3
device drivers, installation 14-9
device error message 8-3
device field, next 14-5
device header 14-5
device names, reserves 6-13, 6-19, 6-73
device redirection 10-4
devices, types of 14-3
DGROUP 11-16
DI flag clear condition 12-50
DI register 12-5, D-5
DIR (Directory) Command 6-84
DIR command 6-10, 6-8 6-103, 6-154
direct console I/O D-19
direction flag 12-50
director, analyze 6-55
directory entries, listing 6-84
directory path format 6-10 filenames 6-11
directory search, PATH 6-123
directory searches C-3 in directory C-4
directory structure, displaying 5-12
directory types, how they work 5-5
directory, display 6-144
directory, make 6-113, 6-155
directory, remove 6-140, 6-157
disk
current D-26
reset D-20
select D-20
disk error handling B-2
disk errors D-7
disk read, absolute D-9
disk transfer address 12-5, E-5
disk transfer address, set D-26
Disk Transfer Area (DTA) B-6
disk write, absolute D-10
DISKCOMP (Compare Diskette) Command 6-91, 6-97, 6-154
DISKCOPY (Copy Diskette) Command 6-91, 6-95, 6-154
diskette and drive compatibility 1-14
diskette compatibility 1-14
diskette write-protect notch 1-12
diskette, about your 1-7
diskette, copy a file to another 3-22
diskette, copy a file to same 3-20
diskette, finding whats on a 3-30
diskette, getting ready 3-4

diskette, protecting your original 3-11
diskette, remove a file 3-41
diskettes, backing up DOS 1-6
display
byte contents 12-26
flags 12-48
lines 7-27
registers 12-48
remarks 6-50
display contents of directory 6-144
Display DOS version number 6-149
display instructions 12-57
display output D-18
display partition data 4-22
display screen, shifting 3-44
display what's in a file 3-34
displaying directory structure 5-12
displaying memory 12-22
displaying the current directory 5-12
divide-by-zero B-1
DN flag set condition 12-50
DOS
available functions B-5
command parameters 6-9
control blocks E-1
disk allocation C-1
editing keys 2-55
how to start 2-3
Initialization B-2
memory map E-1
program segment E-3
structure B-1
technical information B-1
work areas E-1
DOS commands
ASSIGN 6-21
BACKUP 6-24
Batch processing 6-28
BREAK 6-51
CHDIR 6-53
CHKDSK 6-55
CLS 6-59
common information 6-17
COMP 6-60
COPY 6-66
CTTY command 10-8
DATE 6-81
DEL 6-83
DIR 6-84
DISKCOMP 6-91
DISKCOPY 6-95
ERASE 6-99
EXE2BIN command 10-12
external 6-6
FIND Filter command 10-5
FORMAT 6-111
GRAFTABL 6-107
GRAPHICS 6-109
internal 6-6
KEYB-- 6-111
MKDIR command 6-110
MODE 6-112
MORE Filter 10-7
PATH 6-123
PAUSE 6-48
PRINT Command 6-126
PROMPT 10-18
RECOVER Command 6-132
REM 6-50
RENAME (or REN) 6-135
RESTORE 6-137
RMDIR 6-140
SET command 10-21

SORT Filter 10-25
summary of 6-152, 10-27
SYS 6-141
TIME 6-142
TYPE 6-153
types of 6-6
VER Command 6-149
VERIFY Command 6-149
VOL Command 6-151
DOS commands, advanced
CHDIR command 6-53
CTTY command 10-10
EXE2BIN command 10-12
FIND Filter command 10-15
MKDIR command 6-110
MORE Filter command 10-17
PATH command 6-123
RMDIR command 6-140
SET command 10-21
SORT Filter command 10-25
TREE command 6-144
DOS diskette, about your iii
DOS editing keys
entering DOS commands 6-17
examples using 2-60
using DEBUG 12-14
using EDLIN 7-9
DOS enhancements A-1
DOS environment E-4
DOS features A-1
DOS filters 10-7
DOS partition
changing active 4-19
creating 4-15
deleting 4-20
display data 4-22
DOS version number, display 6-149
DOS, backing up your diskettes 1-6
DOS, giving a command 3-3
DOS, how to start 2-3
DOS, setting up the partition 4-8
DOS, when it starts 4-5
drive 6-9
directory path 6-10
drive - DEBUG parameter 12-8
drive compatibility 1-14
drive letters, fixed disk 4-4
drive specifier, what is 2-17
drive, assign new 6-21
drive, default 2-32
DS register 12-5, 12-6, 12-24, 12-29, 12-40, D-5, E-6
/DSALLOCATION linker parameter 11-16
DTA (Disk Transfer Area) B-5
dual-sided diskettes 1-8
dummy device 6-13
dummy parameters 6-33, 6-35
ECHO 6-36
Dump Command 12-22, 12-67
DX register 12-5, D-5

E

ECHO
Subcommand 6-36, 6-152
edit
backup file 7-4
existing file 7-4
partial file 7-12
Edit Line Command 7-18, 7-46
editing a new file 7-5
editing keys 2-55, 6-19, 7-9, 12-15
editing template 2-55
EDLIN
prompt 7-4
Append Lines 7-12
command parameters 7-7
commands 7-9
common information 7-9
compared to DOS editing keys 2-55
Copy Lines 7-13
Delete Lines 7-14
Edit Line 7-18
End Edit 7-21
how to start 7-4
Insert Lines 7-23
List Lines 7-27
Move Lines 7-32
Page Command 7-33
program 7-3
Quit Edit 7-34
Replace Text 6-36
Search Text 6-40
Transfer Lines 6-45
used with DOS editing keys 2-55
Write Lines 6-46
EDLIN commands, summary of 7-46
EDLIN prompt 2-61
EDLIN, how to start 2-61
EDLIN, how to stop 2-72
EI flag set condition 12-50
ellipsis 6-8
emptying the template 2-69
enhancements, DOS A-1
End Edit command 7-5, 7-21, 7-46
end-of-file 6-76
end-of-file mark C-7
ending commands 6-19
enhanced commands A-8
Enter Command 12-25, 12-67
enter date 6-81
Enter key 2-27, 2-32, 6-13, 7-9
enter time 6-142
entries, search for D-22
environment, DOS E-4
environment set 10-21
equal sign (=) 6-8
ERASE Command 6-99, 6-154
erasing files 6-99
error codes D-4
error handler B-7
error handling
critical B-3
disk B-3
error message, device 8-3
error messages 8-3
error return table D-14
error trapping B-5
error, recover from 8-6
error, syntax 12-15
ES register 12-5, 12-6, D-5, E-6
Esc key 2-53, 2-56, 2-59, 7-18
EXE file structure H-1
EXE filename extension 6-7, 11-12, 12-6, 12-39, 12-66, B-4
.EXE 12-6, 12-39, E-3

EXE files, load H-1
EXE programs E-6
execute instructions 12-55
execute program 12-30
executing a .BAT file 6-35
executing commands
within an application F-1
EXE2BIN
Command 10-12, 10-28
existing file, edit 7-4
$$$ 7-22
ext 6-12
extended file control
block E-14
extensions 6-12
characters, valid 6-12
external commands 6-6,
B-4
.COM 6-7
.EXE 6-7

F

FAT (see File Allocation
Table)
allocating space C-6
FCB E-11
FCB (see File Control
Block)
FDISK command 4-6,
4-13
features and differences of
DOS A-1
field, name 14-8
field, attribute 14-6
File Allocation Table
(FAT) B-5, C-6
file allocation table, how to
use C-8
file buffers D-1
File Control Block
(FCB) 12-42, B-4, E-11
in file control
block E-11
file control block,
extended E-14
File Management B-5
file sectors
chaining B-5
mapping B-5
file size E-9
file specifications 2-36
file structure, .EXE H-1
file, backing-up one 3-18
file, copy more than
one 3-29
file, display whats in 3-34
file, editing a new 7-5
filename characters,
global 6-14
filename, change a 3-37
filename, parse D-30
filenames
characters, valid 6-11
in directory C-4
in file control
block E-11
length of 6-11
renaming 6-135
files/filenames,
what are 2-32
files, list all 6-85
files, list selected 6-87
files, number opened 9-10
filespec 6-12
filespec – DEBUG
parameter 12-8
Fill Command 12-29,
12-67
Filter commands filtering
data 10-7
FIND Filter
Command 10-15
First Asynchronous
Communications Adapter
port 6-13
fixed disk drive letters 4-5

fixed disk
partitioning 4-8
Fixed Disk Setup
Program 4-12
fixed disk, backup 6-19
fixed disk, preparing
your 4-3, 4-5
fixed disk, restore 6-137
fixed disk, select next
drive 4-23
fixed disk, start 4-12
fixed disk, using compilers
and macro assembler I-1
fixups, segment 10-12
flag values 12-47
flags 12-5
flags, display 12-48
FOR Subcommand 6-38,
6-152
FORMAT Command 6-101
6-155, C-3
hidden C-3
format notation 6-5
FORMAT status
report 6-104
format, device drivers 14-3
FORMAT, how to use 3-4
formatting your
diskettes 1-7
fragmented diskettes 6-97
fragmented files 6-71
fragmented 6-71
function call
parameters 14-16
function calls D-12
functions, available
DOS B-3
functions, built-in B-1
F1 key 2-57, 2-65, 2-69
F2 key 2-57, 2-65, 2-66,
2-70, 7-19
F3 key 2-58, 2-63, 2-64,
2-56, 2-59, 12-47,
7-19, 12-36
F4 key 2-58, 2-67
F5 key 2-47, 2-58,
2-69, 7-20
F6 key 6-10, 6-24, 6-53,
6-29

G

generating line
numbers 7-3
get
date D-31
time D-31
getting a diskette
ready 3-4
giving DOS a
command 3-3
global filename characters
* 6-15
? 6-14
examples using 6-15
in command name 6-19
in COPY 6-69
in DIR 6-85
in ERASE 6-99
in RENAME 6-135
global filename characters,
using 2-38, 3-43
Go command 12-30, 12-67
GOTO
Subcommand 6-39, 6-152
GOTO 6-39
GRAFTABL
Command 6-107
GRAPHICS (Screen Print)
Command 6-109
GRAPHICS
command 6-109, 6-155
group 11-7

H

header H-1
helps and hints 3-46

HEX filename
extension 12-6, 12-39, 12-65
.EXE 12-65
.HEX 12-6, 12-39, 12-65
Hexarithmetic
Command 12-34, 12-67
hidden files 6-56, 6-103, C-4, D-25, E-14
attribute C-4
hidden D-25
HIGH 11-17
HIGH linker
parameter 11-7
high memory 11-16, 12-6, B-3
how directories work 5-3
how to use tree-structured directories 5-3

I

IBMBIO.COM 6-84, 6-100, 6-103, B-1, B-2, C-5
IBMDOS.COM 6-84, 6-100, 6-103, B-1, B-2, C-5
id=bat.Batch commands
IF Subcommand 6-41, 6-152
IF 6-31
initialization, DOS B-2
initialize
analyze 6-101
diskettes 6-101
initialize 6-101
initializing the asynchronous adapter 6-116
input buffer 2-55
Input Command 12-35, 12-68
input files
linker 11-4
input, auxiliary D-18
Ins key 2-59, 2-70, 12-51
Insert Lines
Command 7-23, 7-46
insert mode 2-70, 2-77, 7-23
inserting characters 2-70
inserting lines 7-4
installation of device drivers 14-9
instruction codes, 8088 12-32
Instruction Pointer (IP) 12-5
instruction set, 8088 B-1
instructions
display 12-57
execute 12-55
unassemble 12-57
INT hex 24 B-7
INT 21 B-5
random B-5
sectors B-5
sequential B-5
interface module, BIOS B-1
internal command processors B-3
internal commands 6-6
interrupt codes 12-31
interrupt flag 12-50
interrupt mechanism, 8088 B-1
interrupt routines 14-7
interrupt vectors B-3
interrupt hex 20 D-1
interrupt hex 22 B-3, D-2
interrupt hex 23 B-3, D-3
interrupt hex 24 D-4
interrupt hex 25 D-9
interrupt hex 26 D-10
interrupt hex 27 D-10
interrupt, set D-28
interrupts D-1
invoking one batch file from another 6-29

IP (Instruction Pointer) 12-5
IP register 12-30, 12-47, D-5, E-6
IRET D-3

K

KEYBFR Command 6-112
KEYBGR Command 6-112
KEYBIT Command 6-112
keyboard 6-13
keyboard input D-17
keyboard input, buffered D-19
KEYBSP Command 6-112
KEYBUK Command 6-112
keys, control 2-47, 6-9, 7-10, 12-15
keys, DOS editing 2-55, 6-15, 7-9, 12-15
keys, reassign 13-10
keywords 6-8

L

LINE 11-17
line – EDLIN parameter 7-7
Line Editor Program 2-55, 2-60, 7-3
line numbers 7-4
lines, renumber 7-19, 7-23
LINK
  See linker (LINK) program
linker (LINK) program
  command line 11-20
  command prompts 11-8
  example session 11-25
  messages 11-30
  starting 11-19
linker files
  automatic response 11-4, 11-22
  input 11-4
  library 11-4, 11-13
  listing 11-5, 11-12
  object 11-4, 11-10
  output 11-5
  run 11-5, 11-12
linker parameters 11-15
  /DSALLOCATION 11-16
  /HIGH 11-17
  /LINE 11-17
  /MAP 11-17
  /PAUSE 11-18
  /STACK 11-18
linker prompts 11-10
list – DEBUG parameter 12-9
list all files 6-85
list diskette files 3-30
List Lines Command 7-27, 7-46
list one file 3-32
list selected files 6-87
listing data lines 7-33
listing directory entries 6-14, 6-84
Load Command 12-36, 12-68
load module 11-28
loading .EXE files H-1
loading DOS 2-3
loading programs 10-9
loading standard device drivers 9-8
locate next cluster C-7, C-8
logical record size E-12
logical sector numbers D-9
LPT1: – reserved name for printer 6-13

M

macro assembler, using
fixed disk I-1
make directory,
MKDIR 6-81
/MPA linker
parameter 11-17
MAP extension 11-12
.MAP 11-12
mapping file sectors B-4
memory
high 11-16, 12-6, B-3
low 11-16
memory management
routine B-4
memory status report 6-39
memory, loading files
into 7-4
EDLIN 7-4
messages 8-3
messages, linker 11-30
MKDIR (Make Directory)
Command 6-81
MKDIR command 6-81,
6-120
MODE Command 6-83,
6-120
MORE Filter
Command 10-17
MORE Command 10-17
MOV instruction C-8
Move Command 12-40,
12-68
Move Lines
Command 7-32, 7-46

N

n – EDLIN parameter 7-8
NA flag clear
condition 12-50
Name command 12-42,
12-68
name field 14-8
NC flag set
condition 12-50
new commands A-5
next device field 14-5
NG flag set
condition 12-50
notation, format 6-8
notch, write protect 1-10
NUL: – reserved device
name 6-13
numbers, line 7-3, 7-15
NV flag clear
condition 12-50
NZ flag clear
condition 12-50

O

OBJ extension 11-10
.OBJ 11-10
object files 12-3
object 12-3
object modules 11-10
object program files 6-148
object program 6-148
text 6-148
open file D-21
operating systems, more
than one 4-12
operation, suspend
system 2-48, 6-48
optional remarks, PAUSE
command 6-48
Output Command 12-44,
12-68
output files
linker 11-5
output, auxiliary D-18
output, display D-18
OV flag set
condition 12-50
overflow flag 12-50

P

Page Command 7-33, 7-46
paragraph boundary 11-6
parallel printer to Asynchronous Communications Adapter 6-122
parameters
  DEBUG 12-7
  DOS 6-9
  dummy 6-34
  EDLIN 7-6
  testing with different 12-30
parameters, function call 14-16
parameters, Linker 11-15
parity flag 12-43
parse filename D-30
partial file, edit 7-12
partition setup 4-8
partition, display data 4-22
partitioning your fixed disk 4-12
Pascal hex patch J-1
PASKEY, see Pascal hex patch J-1
PAS1, update your diskette J-1
PATH (Set Search Directory) Command 6-123
PAUSE 8-7, 11-18
PAUSE Subcommand 6-48
PC register 12-47
PE flag set condition 12-50
percent sign (%) 6-34
period (.) 7-8, 7-18
physical append 6-78
Piping standard I/O 10-6
piping, what is 10-6
PL flag clear condition 12-50
plus sign
  in automatic response file 11-23
  in response to linker prompt 11-10
PO flag clear condition 12-50
pointer to next device 14-8
portaddress – DEBUG parameter 12-9
pound sign (#) 7-9
prepare diskettes 6-101
  preparing 6-101
preparing fixed disk 4-6
preparing your fixed disk 4-6
PRINT Command 6-126, 6-156
print displayed output 2-48
print screen output 2-47
print string D-19
printer 2-47, 6-13, 6-112
printer output D-18
printing graphics 6-109
PRN: – reserved name for printer 6-13
program execution, automatic 1-16
program execution, stop 12-30
program segment
  create new D-28
  DOS E-3
Program Segment Prefix 12-6, B-2, B-5, E-5, E-7
program terminate D-17
PROMPT (Set System Prompt) Command 10-18
PROMPT Command 10-18, 10-28
protect notch 1-12
protecting your original diskette 3-11
protocol parameters 6-120

public symbols 11-25
punctuation 6-8

Q

questions mark 6-8
Quit Command 12-45, 12-68
Quit Edit Command 7-34, 7-46
quotation marks 12-12

R

random access B-5
random block read B-5, D-29
random block write B-5, D-29
random read D-27
random record field, set D-28
randon write D-27
random/sequential applications 9-6
range – DEBUG parameter 12-9, 12-10
Read-Only Memory (ROM) B-1
read/write requests 9-5
read, random D-27
read, random block D-29
read, sequential D-24
reassign keys 13-10
record number, relative E-13
record size, logical E-12
recording format, diskette 6-101
  defective tracks 6-101
RECOVER Command 6-121
recover from error 8-6
redirection of I/O devices 10-4
Register Command 12-46, 12-68
registername – DEBUG parameter 12-10
registernames, valid 12-47
registers, display 12-48
relative cluster number C-6
relative record number E-13
relative sector number 12-11
relative zero 11-26
relocatable loader 11-5
relocation H-3
REM (Remark) Subcommand 6-50, 6-147
remarks, display 6-50
remarks, PAUSE subcommand 6-48
remove a file from diskette 3-41
remove directory, RMDIR 6-140
removing a file 3-41
REN command 6-135
RENAME (or REN) Command 6-135
RENAME command 6-135, 6-157
rename file D-25
renumber lines 7-19, 7-23
replace byte contents 12-25
replace standard device 9-8
Replace Text Command 7-35, 7-46
replacing characters 2-43, 2-70
reserved device names 6-33, 6-38, 6-73
reset, disk D-20
reset, system B-2
resident portion of command processor B-3

responses to the system 8-6
RESTORE (Fixed Disk)
Command 6-137
RESTORE command
6-137, 6-157
retry read/write
operation 8-6
RMDIR (Remove Directory)
Command 6-140
RMDIR command 6-140,
6-157
ROM (Read-Only
Memory) B-1
ROM BIOS routine D-18
root directory,
what is 5-5
routines
device B-1
diskette handling B-3
keyboard input B-3
memory
management B-4
output B-3
printer output B-3
ROM BIOS D-18
routines,
strategy/interrupt 14-7
run file 11-12
backslash 2-50, 2-59

S

saving diskette
space 10-12
screen 6-33
screen cursor control 13-3
screen display
restart 2-47
suspend 2-47
screen output, print 2-47
screen print,
graphics 6-109
screen shifting 3-44
screen, clear CLS 6-59
Search Command 12-53,
12-68
search directory,
PATH 6-123
search for entries D-22
Search Text
Command 6-41, 6-51
sector – DEBUG
parameter 12-11
sector number,
relative 12-11
sector numbers,
logical D-9
sector, absolute 12-63
sector 6-96, 12-11
sectors, about 1-8
sectors, file B-4
segment 11-6
segment address E-7
SEGMENT
command 11-8
segment fixups 10-9
segment registers 12-5,
12-60
segment, create new
program D-28
segment, default 12-7
segment, start H-3
segments, class 11-8
select disk D-20
selecting fixed disk drive,
next 4-23
semicolon delimiter 6-18
separators, filename D-30
separators D-30
terminators D-30
sequential read D-24
sequential write D-24
set
date D-31
interrupt D-28
randon record
field D-28
time D-31
verify switch D-32

SET (Set Environment) Command 10-21
SET Command 10-21, 10-28
set condition 12-50
set system prompt command 10-8
setting up the DOS partition 4-8
Shift PrtSc keys 2-50
SHIFT Subcommand 6-46, 6-152
SHIFT 6-46
shifting display screen 3-39
SI register 12-5, D-5
sign flag 12-50
single diskette-drive systems 1-14
single-drive system 6-93, 6-96
fragmented 6-96
single-sided diskettes 1-8
slashes 6-8
SORT Filter Command 10-25
SORT command 10-25
source area 12-40
source drive 6-17
source files 7-3
source 7-3
SP (Stack Pointer) 12-5
SP register E-5, E-6
space allocation B-6, C-1
space delimiter 6-8
special characters 6-14
specifying a drive 6-9
specifying the default drive 2-32
specifying the path to a file 5-7
square brackets 6-8
SS register 12-5, E-6
stack allocation statement 11-18
/STACK linker parameter
Stack Pointer (SP) 12-5
stack, user D-5
standard I/O device redirection 10-4
standard I/O, piping 10-6
start segment H-3
starting cluster C-5
starting DEBUG 12-4
starting DOS 2-3
computer power off 2-4
methods 2-3
starting EDLIN 7-4
starting the linker 11-19
static environment E-4
status report 6-55
stop program execution 12-30
strategy routines 14-7
string – DEBUG parameter 12-12
string – EDLIN parameter 7-8
structure, DOS B-1
sub-directory, creating a 5-11
sub-directory, what is 5-5
summing files 6-79
suspend screen output 2-47
suspend system operation 2-45, 2-48, 6-48
switch, high/low loader H-3
symbols, global and public 11-17
syntax error 12-15
SYS (System) Command 6-141
SYS command 6-141, 6-157
system configuration commands 9-3
system devices 6-13

system file E-11
system files, transfer 6-141
system prompt 6-17, B-3
system prompt command, set 10-18
system prompt, command is complete 6-17
system reset B-2

T

target drive 6-19
technical information, DOS B-1
template 2-55
temporary file, VM.TMP
terminate address interrupt D-2
terminate but stay resident B-3
terminate commands 6-19
terminate program D-17
terminate program interrupt D-3
terminators, filename D-30
text files 6-147, 7-3
text 7-3
TIME Command 6-142, 6-157
time, change 6-142
Trace Command 12-55, 12-68
track/sector, calculate absolute C-5
tracks, about 1-10
tracks, defective 6-101, C-5
recording format 6-101
transfer address, disk E-5
Transfer Lines Command 7-44, 7-46
transfer system files 6-141
transient portion of command processor B-3
TREE (Display Directory) Command 6-144
TREE 6-144
TREE command 6-144, 6-157
tree-structured directories, how to use 5-3
TYPE Command 6-147, 6-157
displaying contents of 6-147
types of DOS commands 6-4

U

Unassemble Command 12-57, 12-68
unassemble instructions 12-57
unprintable characters 12-22
UP flag clear condition 12-50
user stack D-5
using fixed disk 4-12
using global filename characters 2-48, 3-43

V

value, DEBUG parameter, 12-13
variable length instructions 12-58
VER (Version) Command 6-149
VER Command 6-149, 6-158
VERIFY Command 6-149, 6-158
verify switch D-28
VM.TMP temporary file

VOL (Volume)
Command 6-151
VOL command 6-158
VOLUME Command 6-151

W

where DOS looks for
commands and batch
files 5-7
work areas E-1
DOS E-1
Write Command 12-62,
12-68, 15-22
Write Lines
Command 7-45, 7-46
write-protect notch 1-12
write, random D-27
write, random block D-29
write, sequential D-24

Z

zero flag 12-50
ZR flag set
condition 12-50